



COUNTY OF YORK SURVEY MARK REFERENCE AND RECOVERY DATA

VIRGINIA STATE PLANE COORDINATES—SOUTH ZONE (NAD 1983)				VERTICAL DATA	
STATION NO.	UNITS	EASTING (X)	NORTHING (Y)	Elevations refer to National Geodetic Vertical Datum (1929)	
061	Meters	3676027.409	1095679.978	Elevation Of Station= 52.92'	
	U S Survey ft.	12060433.258	3594743.395		
	Int'l ft.	12060457.379	3594750.584		
REFERENCE AND AZIMUTH MARK LOCATIONS				FOR WRITTEN DESCRIPTION & ADDITIONAL DATA SEE REVERSE SIDE	
OBJECT	BEARING	DISTANCE	ELEVATION	COUNTY/CITY YORK COUNTY	DISTRICT GRAFTON
RM1	N63°06'08"E	109.37'	_____	STATION NUMBER: 061	
RM2	S19°38'20"E	86.11'	_____		
STATION 60	N67°06'59"E	4,763.34'	_____		
STA 062 - RM3	S63°32'22"W	1,285.19'	_____		
				FIELD BOOKS PS 323/41	

LOCATION SKETCH



LOCATION MAP (Scale: 1"=2000')



STATION DESCRIPTION

- STATION 061: A 3-1/4" disk in concrete, approximately 4" below the ground surface, stamped "STATION NO. 061". The disk is located at the northwest corner of the intersection of Routes 105 (Ft. Eustis Boulevard) and 636 (Richneck Road), 20.0' north of the edge of the pavement of Route 105, 35.0' west of the center line of the surface treated road to the north.
- REFERENCE MARK NO. 1: A 2" disk in concrete, approximately 3" below the ground surface, stamped "REFERENCE MARK NO. 1". The disk is located 25.5' north of the north edge of Route 105 (Ft. Eustis Boulevard), 19.0' northwest of a wood sign post (Route 636 sign).
- REFERENCE MARK NO. 2: A 2" disk in concrete, approximately 2" below the ground surface, stamped "REFERENCE MARK NO. 2". The disk is located 2.0' north of the right-of-way fence of Route 105 (Ft. Eustis Boulevard), 34.0' south of the edge of the pavement of Route 105, 47.0' west of the eastern end post of the right-of-way fence.
- REFERENCE MARK NO. 3: A 2" disk in concrete, approximately ____" below the ground surface, stamped "REFERENCE MARK NO. 3". The disk is located No Reference Mark No. 3.

STA 061 WITNESS POST PLACED 11.0' West
OF THE STATION

RM1 WITNESS POST PLACED 5.5' North
OF THE MARK

RM2 WITNESS POST PLACED 2.0' South
OF THE MARK

RM3 WITNESS POST PLACED _____
OF THE MARK

Station Name: 61

Latitude (dms)	37 10 43.89270
Longitude (dms)	76 31 3.09866
State Plane Zone (4502) Virginia South	
Easting (X) in meters	3676027.409
Northing(Y) in meters	1095679.978
Easting (X) in US Survey ft	12060433.258
Northing(Y) in US Survey ft	3594743.395
Easting (X) in international ft	12060457.379
Northing(Y) in international ft	3594750.584
Scale	.99995079
Convergence (dms)	1 12 11.563

COUNTY OF YORK SURVEY MARK REFERENCE AND RECOVERY DATA

VIRGINIA STATE PLANE COORDINATES—SOUTH ZONE (NAD 1983)

STATION NO.	UNITS	EASTING (X)	NORTHING (Y)
062	Meters	3675275.586	1095449.156
	U S Survey ft.	12057966.653	3593986.106
	Int'l ft.	12057990.769	3593993.294

REFERENCE AND AZIMUTH MARK LOCATIONS

OBJECT	BEARING	DISTANCE	ELEVATION
RM1	N83°43'56"W	119.56'	-----
RM2	N01°43'52"E	72.73'	-----
RM3	N82°00'50"E	1,328.94'	-----

VERTICAL DATA

Elevations refer to National Geodetic Vertical Datum (1929)

Elevation Of Station= 60.55'

FOR WRITTEN DESCRIPTION &
ADDITIONAL DATA SEE REVERSE SIDE

COUNTY/CITY
YORK COUNTY

DISTRICT
GRAFTON

STATION NUMBER:


062

FIELD BOOKS


PS 323/39

LOCATION SKETCH

OLIVER C.
GREENWOOD
ELEMENTARY
SCHOOL



LOCATION MAP (Scale: 1"=2000')



STATION DESCRIPTION

- STATION 062:** A 3-1/4" disk in concrete, approximately 4" below the ground surface, stamped "STATION NO. 062". The disk is located on Route 105 (Ft. Eustis Boulevard), immediately north of the York County and Newport News City boundary, in front of Oliver C. Greenwood Elementary School, 13.0' south of the edge of the pavement of Route 105, 25.0' west of the "Do Not Litter" sign, 15.0' north of the 6' chain link right-of-way fence.
- REFERENCE MARK NO. 1:** A 2" disk in concrete, approximately 3" below the ground surface, stamped "REFERENCE MARK NO. 1". The disk is located 10.5' south of the south edge of the pavement of Route 105 (Ft. Eustis Boulevard), 20.0' north of the 6' chain link right-of-way fence, 2.5' south of a wood sign post (York County/Newport News sign).
- REFERENCE MARK NO. 2:** A 2" disk in concrete, approximately 4" below the ground surface, stamped "REFERENCE MARK NO. 2". The disk is located 34.5' north of the north edge of the pavement of Route 105 (Ft. Eustis Boulevard), 66.5' northwest of an intersection sign, 34.0' northeast of a children crossing sign post.
- REFERENCE MARK NO. 3:** A 2" disk in concrete, approximately 2" below the ground surface, stamped "REFERENCE MARK NO. 3". The disk is located 20.0' south of the south edge of the pavement of Route 105 (Ft. Eustis Boulevard), 8.5' northeast of a 6" pine tree.

STA 062 **WITNESS POST PLACED** 24.0' East
 OF THE STATION

RM1 **WITNESS POST PLACED** 2.0' North
 OF THE MARK

RM2 **WITNESS POST PLACED** 3.0' Northeast
 OF THE MARK

RM3 **WITNESS POST PLACED** 3.0' South
 OF THE MARK


Station Name: 62

Latitude (dms) 37 10 36.91760
Longitude (dms) 76 31 33.76751
State Plane Zone (4502) Virginia South
Easting (X) in meters 3675275.586
Northing(Y) in meters 1095449.156
Easting (X) in US Survey ft 12057966.653
Northing(Y) in US Survey ft 3593986.106
Easting (X) in international ft 12057990.769
Northing(Y) in international ft 3593993.294
Scale .99995090
Convergence (dms) 1 11 52.949


COUNTY OF YORK SURVEY MARK REFERENCE AND RECOVERY DATA

VIRGINIA STATE PLANE COORDINATES—SOUTH ZONE (NAD 1983)				VERTICAL DATA	
STATION NO.	UNITS	EASTING (X)	NORTHING (Y)	Elevations refer to National Geodetic Vertical Datum (1929)	
063	Meters	3676139.841	1094709.347	Elevation Of Station= 56.63'	
	U S Survey ft.	12060802.129	3591558.915		
	INT'L ft.	12060826.251	3591566.098		
REFERENCE AND AZIMUTH MARK LOCATIONS				FOR WRITTEN DESCRIPTION & ADDITIONAL DATA SEE REVERSE SIDE	
OBJECT	BEARING	DISTANCE	ELEVATION	COUNTY/CITY YORK COUNTY	DISTRICT GRAFTON
RM1	N69°50'08"W	53.07'	_____	STATION NUMBER: 063	
RM2	S25°08'58"W	80.90'	_____		
RM3	N19°16'24"E	917.18'	_____		
				FIELD BOOKS PS 324/36	

LOCATION SKETCH



LOCATION MAP (Scale: 1"=2000')



STATION DESCRIPTION

STATION 063: A 3-1/4" disk in concrete, approximately 3" below the ground surface, stamped "STATION NO. 063". The disk is located 17.0' southeast of the center line of the pavement of Route 636 (Richneck Road), 86.0' south of utility pole #OL-33.

REFERENCE MARK NO. 1: A 2" disk in concrete, approximately 4" below the ground surface, stamped "REFERENCE MARK NO. 1". The disk is located 36.5' west of the center line of Route 636 (Richneck Road), opposite STATION 063.

REFERENCE MARK NO. 2: A 2" disk in concrete, approximately 4" below the ground surface, stamped "REFERENCE MARK NO. 2". The disk is located 16.5' east of the center line of Route 636 (Richneck Road), 81.0' south of the STATION 063 monument disk.

REFERENCE MARK NO. 3: A 2" disk in concrete, approximately 1" below the ground surface, stamped "REFERENCE MARK NO. 3". The disk is located 13.0' west of the edge of the pavement of Route 636 (Richneck Road), 73.0' north of utility pole #PE-00.

STA 063 WITNESS POST PLACED 3.5' South
OF THE STATION

Station Name: 63

RM1 WITNESS POST PLACED 3.0' Northwest
OF THE MARK

Latitude (dms) 37 10 12.33615

Longitude (dms) 76 30 59.36826

State Plane Zone (4502) Virginia South

RM2 WITNESS POST PLACED 2.0' South
OF THE MARK

Easting (X) in meters 3676139.841

Northing(Y) in meters	1094709.347
-----------------------	-------------

Easting (X) in US Survey ft 12060802.129

Northing(Y) in US Survey ft	3591558.915
-----------------------------	-------------

Easting (X) in international ft 12060826.251

Northing(Y) in international ft	3591566.098
---------------------------------	-------------

Scale .99995130

Convergence (dms)	1	12	13.827
-------------------	---	----	--------

RM3 WITNESS POST PLACED 8.0' Northwest
OF THE MARK

STATION DESCRIPTION

- STATION 064:** A 3-1/4" disk in concrete, approximately 3" below the ground surface, stamped "STATION NO. 064". The disk is located in the grass median of Route 693 (Wormley Creek Drive) in between Routes 1250 (Marlbank Drive) and 703 (Artillery Road), 10.0' northwest of the edge of the pavement of the eastbound lane of Route 693, 51.0' north of utility pole #KO-49.
- REFERENCE MARK NO. 1:** A 2" disk in concrete, approximately 2" below the ground surface, stamped "REFERENCE MARK NO. 1". The disk is located 16.0' southeast of the center line of the eastbound lane of Route 693 (Wormley Creek Drive), north of Route 703 (Artillery Road), 1.5' northwest of Virginia Power utility pole #KA-61.
- REFERENCE MARK NO. 2:** A 2" disk in concrete, approximately 2" below the ground surface, stamped "REFERENCE MARK NO. 2". The disk is located 13.0' northeast of the center line of the westbound lane of Route 693 (Wormley Creek Drive), on line with and 2.5' south of the end of a 2' rail wood fence.
- REFERENCE MARK NO. 3:** A 2" disk in concrete, approximately 2" below the ground surface, stamped "REFERENCE MARK NO. 3". The disk is located at the southwest corner of the intersection of Routes 693 (Wormley Creek Drive) and 1250 (Marlbank Drive), 34.0' southeast of the center line of Route 693, 30.0' southwest of the center line of Route 1250.

STA 064	WITNESS POST PLACED OF THE STATION	<u>1.5' Southeast</u>
RM1	WITNESS POST PLACED OF THE MARK	<u>2.0' Southeast</u>
RM2	WITNESS POST PLACED OF THE MARK	<u>3.0' Northwest</u>
RM3	WITNESS POST PLACED OF THE MARK	<u>3.0' Southeast</u>

Station Name: 64


Latitude (dms)	37 12 29.62805
Longitude (dms)	76 28 55.15985
State Plane Zone (4502) Virginia South	
Easting (X) in meters	3679112.797
Northing(Y) in meters	1099005.554
Easting (X) in US Survey ft	12070555.900
Northing(Y) in US Survey ft	3605654.054
Easting (X) in international ft	12070580.041
Northing(Y) in international ft	3605661.266
Scale	.99994924
Convergence (dms)	1 13 29.212

COUNTY OF YORK SURVEY MARK REFERENCE AND RECOVERY DATA


APRIL 1990 SUPPLEMENT

VIRGINIA STATE PLANE COORDINATES–SOUTH ZONE (NAD 1983)				VERTICAL DATA	
STATION NO.	UNITS	EASTING (X)	NORTHING (Y)	Elevations refer to National Geodetic Vertical Datum (1929)	
065–RESET	Meters	3679374.192	1098505.870	Elevation of Station = 41.04'	
	U.S. Survey Ft.	12071413.496	3604014.676	FOR WRITTEN DESCRIPTION & ADDITIONAL DATA SEE REVERSE SIDE	
	Int'l Ft.	12071437.639	3604021.884		
REFERENCE AND AZIMUTH MARK LOCATIONS				COUNTY/CITY YORK COUNTY	DISTRICT GRAFTON
OBJECT	BEARING	DISTANCE	ELEVATION	STATION NUMBER	
RM1	S80°44'11"E	58.08'	---	065–RESET	
RM2	N08°56'46"E	51.50'	---		
RM3	N29°06'45"W	1165.47'	---		
					FIELD BOOKS PS 324/52 PS 326/52

LOCATION SKETCH (Not to Scale)



LOCATION MAP (Scale: 1"=2000')



STATION DESCRIPTION

- STATION 065-RESET: A 3¼" disk in concrete, approximately 6" below the ground surface, stamped "STATION NO. 065-RESET". The disk is located at the intersection of Routes 1250 (Marlbank Drive) and 1251 (Three Point Court), on the west side of Route 1250, on the center line (projected) of Route 1251, 16.0' west of the center line of Route 1250.
- REFERENCE MARK NO. 1: A 2" disk in concrete, approximately 2" below the ground surface, stamped "REFERENCE MARK NO. 1". The disk is located at the southeast corner of the intersection of Routes 1250 (Marlbank Drive) and 1251 (Three Point Court), 28.5' east of the center line of Route 1250, 35.0' south of the center line of Route 1251.
- REFERENCE MARK NO. 2: A 2" disk in concrete, approximately 2" below the ground surface, stamped "REFERENCE MARK NO. 2". The disk is located at the northeast corner of the intersection of Routes 1250 (Marlbank Drive) and 1251 (Three Point Court), 18.5' east of the center line of Route 1250, 40.0' north of the center line of Route 1251.
- REFERENCE MARK NO. 3: A 2" disk in concrete, approximately 4" below the ground surface, stamped "REFERENCE MARK NO. 3". The disk is located at the northeast corner of the intersection of Routes 1250 (Marlbank Court) and 1208 (Poplar Point Road), 5.5' west of utility pole #KN-88, 17.0' east of the center line of Route 1250, 84.0' north of the center line of Route 1208.

STA 065-RESET WITNESS POST PLACED 3.5' WEST
OF THE STATION

RM1 WITNESS POST PLACED 2.0' NORTH
OF THE MARK

RM2 WITNESS POST PLACED 3.0' NORTHEAST
OF THE MARK

RM3 WITNESS POST PLACED 5.0' EAST
OF THE MARK


STATION NAME: 065-RESET

Latitude (dms)	37 12	13.24091
Longitude (dms)	76 28	44.99462
State Plane Zone (4502) Virginia South		
Easting (X) in meters		3679374.192
Northing (Y) in meters		1098505.870
Easting (X) in US Survey ft.		12071413.496
Northing (Y) in US Survey ft.		3604014.676
Easting (X) in international ft.		12071437.639
Northing (Y) in international ft.		3604021.884
Scale		.99994947
Convergency (dms)	1 13	35.382
YO		1114764.183


APRIL 1990 SUPPLEMENT

VIRGINIA STATE PLANE COORDINATES--SOUTH ZONE (NAD 1983)				VERTICAL DATA	
STATION NO.	UNITS	EASTING (X)	NORTHING (Y)	Elevations refer to National Geodetic Vertical Datum (1929)	
066	Meters	3679159.923	1097542.985	Elevation of Station = 58.14'	
	U.S. Survey Ft.	12070710.514	3600855.609	FOR WRITTEN DESCRIPTION & ADDITIONAL DATA SEE REVERSE SIDE	
	Int'l Fl.	12070734.655	3600862.811		
REFERENCE AND AZIMUTH MARK LOCATIONS				COUNTY/CITY YORK COUNTY	DISTRICT GRAFTON
OBJECT	BEARING	DISTANCE	ELEVATION	STATION NUMBER	
RM1	S48°09'58"W	62.17'	---	066	
RM2	N28°29'16"E	210.47'	---		
RM3	N44°48'11"W	1331.59'	---		
				FIELD BOOKS PS 324/8	

LOCATION SKETCH (Not to Scale)



LOCATION MAP (Scale: 1"=2000')



STATION DESCRIPTION

- STATION 066: A 3-1/4" disk in concrete, approximately 3" below the ground surface, stamped "STATION NO. 066". The disk is located at the rear of the parking lot opposite Grafton Baptist Church, at the intersection of Routes 634 (Old York-Hampton Highway) and 718 (Hornsbyville Road), 12.0' south of the edge of the pavement of the parking lot, 63.0' east of utility pole #KF-34.
- REFERENCE MARK NO. 1: A 2" disk in concrete, approximately 2" below the ground surface, stamped "REFERENCE MARK NO. 1". The disk is located at the rear of the parking lot opposite Grafton Baptist Church, at the intersection of Routes 634 (Old York-Hampton Highway) and 718 (Hornsbyville Road), 13.0' northeast of the northwest corner of a 4' chain link fence, 3.0' north of utility pole #KF-34.
- REFERENCE MARK NO. 2: A 2" disk in concrete, approximately 1" below the ground surface, stamped "REFERENCE MARK NO. 2". The disk is located adjacent to the York County utility pump station building on the north side of Route 718 (Hornsbyville Road), 1.5' west of the southwest corner of a 7' chain link fence, on the line of the fence projected, 34.5' north of the center line of Route 718.
- REFERENCE MARK NO. 3: A 2" disk in concrete, approximately 1" below the ground surface, stamped "REFERENCE MARK NO. 3". The disk is located at the northwest corner of the intersection of Routes 634 (Old York-Hampton Highway) and 718 (Battle Road), 1.5' north of the street sign, 32.0' west of the center line of Route 634, 35.0' north of the center line of Route 718.

STA 066 WITNESS POST PLACED 3.0' Southeast
OF THE STATION

Station Name: 66

RM1 WITNESS POST PLACED 2.5' South
OF THE MARK

Latitude (dms) 37 11 42.16121

Longitude (dms) 76 28 54.51700

State Plane Zone (4502) Virginia South

RM2 WITNESS POST PLACED 2.5' North
OF THE MARK

Easting (X) in meters 3679159.923

Northing(Y) in meters 1097542.985

Easting (X) in US Survey ft 12070710.514

Northing(Y) in US Survey ft 3600855.609

RM3 WITNESS POST PLACED 2.0' South
OF THE MARK

Easting (X) in international ft 12070734.655

Northing(Y) in international ft 3600862.811

Scale .99994991

Convergence (dms) 1 13 29.602

STATION DESCRIPTION

- STATION 067:** A 3-1/4" disk in concrete, approximately 2" below the ground surface, stamped "STATION NO. 067". The disk is located 13.5' east of the edge of the pavement of the northbound lanes of Route 17 (George Washington Highway), 40.0' south of utility pole #KK-09, 22.5' north of a yard drain.
- REFERENCE MARK NO. 1:** A 2" disk in concrete, approximately 2" below the ground surface, stamped "REFERENCE MARK NO. 1". The disk is located in the grass median between the northbound and the southbound lanes of Route 17 (George Washington Highway), 150.0(+) south of the railroad tracks crossing Route 17, 6.5' north of the north edge of the crossover pavement, 6.5' west of the west edge of the pavement of the northbound lanes of Route 17.
- REFERENCE MARK NO. 2:** A 2" disk in concrete, approximately 2" below the ground surface, stamped "REFERENCE MARK NO. 2". The disk is located 20.0' west of the west edge of the pavement of the southbound lanes of Route 17 (George Washington Highway), 8.0' southwest of utility pole #589-53.
- REFERENCE MARK NO. 3:** A 2" disk in concrete, approximately 3" below the ground surface, stamped "REFERENCE MARK NO. 3". The disk is located 26.0' east of the east edge of the pavement of the northbound lanes of Route 17 (George Washington Highway), 2.5' west of the curb on the west edge of the shopping center parking lot, 4.5' north of the curb on the north side of the parking lot.

STA 067 WITNESS POST PLACED 3.5' East
OF THE STATION

RM1 WITNESS POST PLACED 3.0' Northwest
OF THE MARK

RM2 WITNESS POST PLACED 8.0' North
OF THE MARK

RM3 WITNESS POST PLACED 4.5' South
OF THE MARK

Station Name: 67

Latitude (dms) 37 10 53.57040
Longitude (dms) 76 28 56.16951
State Plane Zone (4502) Virginia South
Easting (X) in meters 3679151.192
Northing(Y) in meters 1096044.568
Easting (X) in US Survey ft 12070681.870
Northing(Y) in US Survey ft 3595939.553
Easting (X) in international ft 12070706.012
Northing(Y) in international ft 3595946.745
Scale .99995064
Convergence (dms) 1 13 28.599

COUNTY OF YORK SURVEY MARK REFERENCE AND RECOVERY DATA

VIRGINIA STATE PLANE COORDINATES—SOUTH ZONE (NAD 1983)

STATION NO.	UNITS	EASTING (X)	NORTHING (Y)
068	Meters	3679813.383	1095125.303
	U S Survey ft.	12072854.407	3592923.597
	Int'l ft.	12072878.553	3592930.783

REFERENCE AND AZIMUTH MARK LOCATIONS

OBJECT	BEARING	DISTANCE	ELEVATION
RM1	N63°38'49"W	139.93'	---
RM2	S30°37'39"W	277.42'	---
RM3	S46°18'26"W	2,052.89'	---

VERTICAL DATA

Elevations refer to National Geodetic Vertical Datum (1929)

Elevation Of Station= 49.04'

FOR WRITTEN DESCRIPTION &
ADDITIONAL DATA SEE REVERSE SIDE

COUNTY/CITY
YORK COUNTY

DISTRICT
GRAFTON


STATION NUMBER:

068


FIELD BOOKS

PS 320/49

LOCATION SKETCH



LOCATION MAP (Scale: 1"=2000')



STATION LOCATION

STATION DESCRIPTION

STATION 068:

A 3-1/4" disk in concrete, approximately 1" below the ground surface, stamped "STATION NO. 068". The disk is located in the southern end of the north grass median strip of Route 17 (George Washington Highway) at the intersection with Route 173 (Denbigh Boulevard), 9.0' west of the edge of the pavement of the northbound lanes of Route 17, 15.5' north of the traffic light pole.

REFERENCE MARK NO. 1:

A 2" disk in concrete, approximately 2" below the ground surface, stamped "REFERENCE MARK NO. 1". The disk is located 5.0' west of the north end of the steel guard rail on the west side of Route 17 (George Washington Highway), 5.0' north of the north curb of the Central Fidelity Bank parking lot.

REFERENCE MARK NO. 2:

A 2" disk in concrete, approximately 3" below the ground surface, stamped "REFERENCE MARK NO. 2". The disk is located 15.0' south of the eastbound lanes of Route 173 (Denbigh Boulevard), 5.0' northeast of the west end of a 15" concrete culvert pipe.

REFERENCE MARK NO. 3:

A 2" disk in concrete, approximately 2" below the ground surface, stamped "REFERENCE MARK NO. 3". The disk is located 17.5' south of the south edge of the pavement of Route 173 (Denbigh Boulevard), approximately 90.0' west of the east edge of a cultivated field on the south side of Route 173.

STA 068 WITNESS POST PLACED 15.0' East
OF THE STATION

Station Name: 68

RM1 WITNESS POST PLACED 1.0' Northwest
OF THE MARK

```

Latitude (dms)      37  10 23.29674
Longitude (dms)     76  28 30.12805
State Plane Zone (4502) Virginia South
Easting (X) in meters      3679813.383
Northing(Y) in meters     1095125.303
Easting (X) in US Survey ft 12072854.407
Northing(Y) in US Survey ft 3592923.597
Easting (X) in international ft 12072878.553
Northing(Y) in international ft 3592930.783

```


RM2 WITNESS POST PLACED 3.5' West
OF THE MARK

RM3 WITNESS POST PLACED 4.5' Southeast
OF THE MARK


COUNTY OF YORK SURVEY MARK REFERENCE AND RECOVERY DATA

VIRGINIA STATE PLANE COORDINATES--SOUTH ZONE (NAD 1983)				VERTICAL DATA	
STATION NO.	UNITS	EASTING (X)	NORTHING (Y)	Elevations refer to National Geodetic Vertical Datum (1929)	
069	Meters	3680848.818	1096438.034	Elevation Of Station= 24.88'	
	U S Survey ft.	12076251.497	3597230.450	FOR WRITTEN DESCRIPTION & ADDITIONAL DATA SEE REVERSE SIDE	
	Int'l ft.	12076275.650	3597237.645		
REFERENCE AND AZIMUTH MARK LOCATIONS				COUNTY/CITY	DISTRICT
OBJECT	BEARING	DISTANCE	ELEVATION	YORK COUNTY	GRAFTON
RM1	N32°10'03"E	561.72'	---	STATION NUMBER: 069	
RM2	N29°32'42"W	88.41'	---		
RM3	S37°41'56"W	2,704.45'	---		
				FIELD BOOKS PS 320/61	

LOCATION SKETCH



LOCATION MAP (Scale: 1"=2000')



69
DESTROYED

STATION DESCRIPTION

- STATION 069:** A 3-1/4" disk in concrete, approximately 2" below the ground surface, stamped "STATION NO. 069". The disk is located in the grass median adjacent to the southwest corner of the intersection of Routes 173 (Goodwin Neck Road) and 630 (Wolftrap Road), 5.0' north of the street sign, 7.0' north of the right turn curb, 10.0' southwest of the Route 630 curb, 5.0' southeast of the Route 173 curb.
- REFERENCE MARK NO. 1:** A 2" disk in concrete, approximately 2" below the ground surface, stamped "REFERENCE MARK NO. 1". The disk is located at the southwest corner of the intersection of Routes 622 (Seaford Road) and 173 (Goodwin Neck Road), 20.5' southeast of utility pole #PN-37, 51.0' southwest of a fire hydrant.
- REFERENCE MARK NO. 2:** A 2" disk in concrete, approximately 1" below the ground surface, stamped "REFERENCE MARK NO. 2". The disk is located 35.0' southwest of the center line of Route 630 (Wolftrap Road), 8.0' north of a steel traffic control pole.
- REFERENCE MARK NO. 3:** A 2" disk in concrete, approximately 2" below the ground surface, stamped "REFERENCE MARK NO. 3". The disk is located 5.5' north of the edge of the pavement of Route 173 (Goodwin Neck Road), 92.5' northeast of the center line (projected) of Route 1223 (Lotz Drive), 17.5' northwest of the center line of Route 173.

STA 069	WITNESS POST PLACED	<u>5.0' East</u>
	OF THE STATION	
RM1	WITNESS POST PLACED	<u>5.5' Southeast</u>
	OF THE MARK	
RM2	WITNESS POST PLACED	<u>4.0' West</u>
	OF THE MARK	
RM3	WITNESS POST PLACED	<u>10.0' Northwest</u>
	OF THE MARK	

Station Name: 69

Latitude (dms)	37 11 5.14878
Longitude (dms)	76 27 47.01499
State Plane Zone (4502) Virginia South	
Easting (X) in meters	3680848.818
Northing(Y) in meters	1096438.034
Easting (X) in US Survey ft	12076251.497
Northing(Y) in US Survey ft	3597230.450
Easting (X) in international ft	12076275.650
Northing(Y) in international ft	3597237.645
Scale	.99995046
Convergence (dms)	1 14 10.571

STATION DESCRIPTION

STATION 070: A 3-1/4" disk in concrete, approximately 1" below the ground surface, stamped "STATION NO. 070". The disk is located at the intersection of Routes 630 (Wolftrap Road) and 718 (Hornsbyville Road), 13.5' north of the edge of the pavement of Route 718, 8.0' west of the center of a Bell System manhole.

REFERENCE MARK NO. 1: A 2" disk in concrete, approximately 2" below the ground surface, stamped "REFERENCE MARK NO. 1". The disk is located 31.0' southeast of the center line of Route 718 (Hornsbyville Road), 31.0' southwest of the center line of Route 630 (Wolftrap Road), 0.5' southeast of York County BM#59, 3.5' southeast of a fire hydrant.

REFERENCE MARK NO. 2: A 2" disk in concrete, approximately 3" below the ground surface, stamped "REFERENCE MARK NO. 2". The disk is located 24.0' northeast of the center line of Route 630 (Wolftrap Road), 29.5' southeast of the center line of Route 718 (Hornsbyville Road).

REFERENCE MARK NO. 3: A 2" disk in concrete, approximately 3" below the ground surface, stamped "REFERENCE MARK NO. 3". The disk is located 17.5' northwest of the center line of Route 718 (Hornsbyville Road), 23.5' southwest of the southeast corner of a chain link fence, 2.5' west of utility pole #630-58.

STA 070 WITNESS POST PLACED 6.5' Northwest
OF THE STATION

Station Name: 70

KM1 WITNESS POST PLACED 2.5' East
OF THE MARK

```

Latitude (dms)          37 11 48.33311
Longitude (dms)          76 28 6.78579
State Plane Zone (4502) Virginia South
Easting (X) in meters    3680332.634
Northing(Y) in meters    1097758.444
Easting (X) in US Survey ft 12074558.050
Northing(Y) in US Survey ft 3601562.497
Easting (X) in international ft 12074582.199
Northing(Y) in international ft 3601569.700
Scale                    .99994982
Convergence (dms)        1 13 58.571

```

RM2 WITNESS POST PLACED 2.0' North
OF THE MARK

RM3 WITNESS POST PLACED 3.0' East
OF THE MARK